



April 16, 2018

Permit #: NE-2018-70-0672
Fee Received: \$ 520.00

Kusel, Wilson, Round Lakes P&R District
Paul Zimmer
N5490 N Wilson Lake Road
Wild Rose, WI 54984

Subject: 2018 permit to chemically treat Curly-leaf pondweed and Eurasian water milfoil in Wilson Lake, Waushara County.

Dear Mr. Zimmer:

The Department has received and reviewed your application to chemically treat Curly-leaf pondweed and Eurasian water milfoil in Wilson Lake, Waushara County. The total acreage to be treated is **20.0** acres. Your permit application meets the minimum requirements by law and a permit is being issued. Issuance of the permit is not an endorsement or approval for the actions authorized. The following conditions must be complied with:

GENERAL CONDITIONS

- 1) **It is the responsibility of the applicant to follow the treatment plan and permit conditions. Noncompliance with the plan can result in enforcement actions under State Statute 144.99 and restriction of aquatic plant management activities for subsequent years under Administrative Code NR 107. The conditions and treatment plan are required to ensure efficacy of the treatment and is well documented.**
- 2) **Wisconsin Lake & Pond Resource, LLC, according to NR 107.08(8), shall submit the enclosed Aquatic Plant Management Treatment Record form (3200-111) for treatment as follows:**
 1. **Immediately, if any unusual circumstances occur during treatment.**
 2. **Within 30 days, if treatment occurs.**
 3. **By October 1 of this year if no treatment occurred.**
- 3) **Application is restricted to permitted area.**
- 4) **All docks and all public access must be posted as specified in NR107.08 (7). Signage must remain in place for the full period specified on the chemical product labels.**
- 5) **Public access cannot be blocked or entry denied. Treatment will have to be scheduled accordingly to increase efficacy and to achieve the desired outcome.**

SPECIFIC CONDITIONS

- 1) Chapter NR 107.04(4) Wisconsin Administrative Code states that the applicant, Kusel, Wilson, Round Lakes P&R District – Paul Zimmer, must certify a copy of the application has been provided to any affected property owners, inland Lake District and in the case of chemical applications for rooted aquatic plants, to any riparian property owners adjacent to and within the treatment area.
- 2) Herbicides used for the project will be Aquathol K at equal to whole lake 0.75 ppm per basin for Curly-leaf pond weed. Aquastrike will be used for Eurasian water milfoil. All product labels must be followed closely.
- 3) Treatment targeting aquatic vegetation for navigation may not be done until a visit from the Wisconsin DNR (Ted Johnson and Chris Kolasinski). If it is determined that navigation is being materially obstructed by aquatic plant growth treatment may commence immediately following the inspection. If the inspection reveals that navigation is not materially obstructed by aquatic plants, the department may stop or limit the treatment pursuant to NR 107.05(3), NR 107.07, and NR 107.08.
- 4) You must notify Christopher Kolasinski of the Department of Natural Resources at (920) 252-5053 or Christopher.Kolasinski@wisconsin.gov at least 4 business days prior to any chemical treatment.
- 5) The following steps should be taken every time you move your equipment to avoid transporting invasives and exotic viruses and species. To the extent practicable, equipment and gear used on infested waters should not be used on other non-infested waters.
 1. Inspect and remove aquatic plants, animals, and mud from your equipment.
 2. Drain all water from your equipment that comes in contact with infested waters, including but not limited to tracked vehicles, barges, boats, silt or turbidity curtain, hoses, sheet pile and pumps.
 3. Dispose of aquatic plants, animals in the trash. Never release or transfer aquatic plants, animals or water from one water-body to another.
 4. Wash your equipment with hot (>104° F) and/or high pressure water OR allow your equipment to dry.

Any future treatments beyond this permit will require an additional permit from the Department. Future permit applications will be evaluated based the information at that time. Failure to comply with the above conditions may result in cancellation of the permit and loss of permit privileges in the future.

If you have any questions or concerns I can be reached at (920) 252-5053 or by e-mail at Christopher.Kolasinski@wisconsin.gov.

Sincerely,



Christopher Kolasinski - Oshkosh-DNR
Water Resource Management Specialist

CC: David Bartz - Fisheries Biologist, Wautoma
Ted Dremel - Conservation Warden Supervisor, Wautoma
Ted Johnson – Water Resource Biologist, Oshkosh
Wisconsin Lake & Pond Resources, LLC

**Chemical Aquatic Plant Control Application and Permit
Wisconsin Pollutant Discharge Elimination System (WPDES)
Pesticide Pollutant Permit Application**

Form 3200-004 (R 02/17)

Page 1 of 4

Notice: Use of this form is required by the Department for any application filed pursuant to s. 281.17(2), Wis. Stats., and Chapters NR 107, 200 and 205, Wis. Adm. Code. This permit application is required to request coverage for pollutant discharge into waters of the state. Personally identifiable information on this form may be provided to requesters to the extent required by Wisconsin's Open Records Law [ss. 19.31-19.39, Wis. Stats.].

DNR Use Only	
ID Number NE-2018-70-0672	Permit Expiration Date
Waterbody # 250000	Fee Received \$520

Section I - Applicant Information - Name of Permit Applicant. Also indicate names and addresses of all individuals, associations, communities or town sanitary districts sponsoring treatment. Attach additional sheets if necessary.

Home Address				Waterbody Address			
Name Kusel, Wilson, Round Lakes P&R District - c/o Paul Zimmer				Name Kusel, Wilson, Round Lakes P&R District - c/o Paul Zimmer			
Street Address N5490 N Wilson Lake Road				Street Address N5490 N Wilson Lake Road			
City Wild Rose		State WI	ZIP Code 54984	City Wild Rose		State WI	ZIP Code 54984
Phone Number (include area code) Primary: Secondary: (920) 358-5241				Email Address pszimmer1@hotmail.com			

Section II - Aquatic Plant Control Location

Waterbody to be Treated (waterbody where treatment area is located) Wilson Lake				Lake Surface Area 76 acres	Estimated Surface Area that is 10 Feet or Less in Depth 60 acres
County Waushara	Section 27	Township 20 N	Range 11 E ☒ E ☐ W	Name of Applicator or Firm Wisconsin Lake & Pond Resource, LLC	
Latitude		Longitude		Street or Route N7828 Town Hall Rd	
City Eldorado		State WI	ZIP Code 54932		
County Fond Du Lac		Phone Number (include area code) (920) 872-2032			
Adjacent Riparian Property Owner Names (attach sheets if necessary) 1. See attached 2. 3. 4. 5. 6.				Email Address jim@wisconsinlpr.com	
Name of Lake Property Owners' Association Representative or Lake District Representative (if none, please indicate) Paul Zimmer				Applicator Certification Number for Category 5 Aquatic Pesticide Application 77803	
				Business Location License Number (if applicable) 93-015182-012226	
				Restricted Use Pesticide License Number (if applicable)	

Area(s) Proposed for Control:		Estimated Acreage	Average Depth	Calculated Volume
Treatment Length	Treatment Width			
1. ft X	ft + 43,560 ft ² =	9 ac X	3 ft =	27 ac-ft
2. ft X	ft + 43,560 ft ² =	11 ac X	7 ft =	77 ac-ft
3. ft X	ft + 43,560 ft ² =	ac X	ft =	ac-ft
4. ft X	ft + 43,560 ft ² =	ac X	ft =	ac-ft
5. ft X	ft + 43,560 ft ² =	ac X	ft =	ac-ft
6. ft X	ft + 43,560 ft ² =	ac X	ft =	ac-ft
7. ft X	ft + 43,560 ft ² =	ac X	ft =	ac-ft
8. ft X	ft + 43,560 ft ² =	ac X	ft =	ac-ft
9. ft X	ft + 43,560 ft ² =	ac X	ft =	ac-ft
Estimated Acreage Grand Total		20 ac	Calculated Volume Grand Total	104 ac-ft

If the estimated acreage is greater than 10 acres, or is greater than 10 percent of the estimated area 10 feet or less in depth in Section II, complete and attach Form 3200-004A, Large-Scale Treatment Worksheet. Private pond treatments are exempted from this requirement.

Is this area within or adjacent to a sensitive area designated by the Department of Natural Resources? ☐ Yes ☒ No

DNR Use: NHI Review? ☒ Yes ☐ No Describe:
Completed 4/13/2018 No Conflicts

Chemical Aquatic Plant Control Application and Permit WPDES Pesticide Pollutant Permit Application

Form 3200-004 (R 02/17)

Page 2 of 4

Section III – Fees

1. s. NR 107.11(1), Wis. Adm. Code, lists the conditions under which the permit fee is limited to the \$20 minimum charge.
2. s. NR 107.11(4), Wis. Adm. Code, lists the uses that are exempt from permit requirements.
3. s. NR 107.04(2), Wis. Adm. Code, provides for a refund of acreage fees if the permit is denied or if no treatment occurs.

4. Fee calculations:

If proposed treatment is over 0.25 acre, calculate acreage fee:
(round up to nearest whole acre, to maximum of 50 acres.)

20 acres X \$25 per acre = \$ 500

If proposed treatment is ≤ 0.25 acre, acreage fee is \$0.

Enter Acreage Fee (from above) \$ 500.00

Basic Permit Fee (non-refundable) \$ 20.00

Total Fee Enclosed \$ 520.00

Site Map: Attach a sketch or a printed map of lake indicating area and dimensions of each individual area where plant control is desired and flow of surface water outside treatment area. Also show location of property owners riparian to and adjacent to the treatment area. Attach a separate list of owners and corresponding treatment dimensions coded to the lake map, if necessary.

Section IV – Reasons for Aquatic Plant Control

Is this permit being requested in accordance with
an approved Aquatic Plant Management Plan?

☒ Yes ☐ No

Treatment Type:

☒ Lake ☐ Pond ☐ Wetland ☐ Marina ☐ Other

Goal of Aquatic Plant Control:

1. ☐ Maintain navigational channel
2. ☐ Maintain boat landing and carry in access
3. ☐ Improve fish habitat
4. ☐ Maintain swimming area
5. ☒ Control of invasive exotics
6. ☐ Other: _____

Nuisance Caused By:

- ☐ Algae
- ☐ Emergent water plants (majority of leaves and stems growing above water surface, e.g. cattails, bulrushes)
- ☐ Floating water plants (majority of leaves floating on water surface, e.g., waterlilies, duckweed)
- ☒ Submerged water plants (leaves and stems below water surface, flowering parts may be exposed, e.g., milfoil, coontail)
- ☐ Other: _____

List Target Plants

Curly-leaf pondweed and Eurasian water-milfoil

Note: Different plants require different chemicals for effective treatment. Do not purchase chemical before identifying plants.

Section V – Chemical Control

Alternatives to Chemical Control:

Feasible?

If No, Why Not?

1. Mechanical harvesting

☐ Yes ☒ No

Spreads plant debris

2. Manual removal

☐ Yes ☒ No

Too large of areas

3. Sediment screens/covers

☐ Yes ☒ No

Other, non-target ecological system damage

4. Dredging

☐ Yes ☒ No

Too costly

5. Lake drawdown

☐ Yes ☒ No

No ability to draw down

6. Nutrient controls in watershed

☐ Yes ☒ No

not a control option for immediate concern

7. Other: _____

☐ Yes ☐ No

Note: If proposed treatment involves multiple properties, consider feasibility of EACH alternative for EACH property owner.

If you checked yes to any of the alternatives listed above, please explain your decision to use chemical controls:

**Chemical Aquatic Plant Control Application and Permit
WPDES Pesticide Pollutant Permit Application**

Form 3200-004 (R 02/17)

Page 3 of 4

Section V -- Chemical Control (continued)

Full Trade Name of Proposed Chemical(s)

Aquathol K applied at rates equal to whole-lake 0.75 PPM per basin - same as in 2017

Secondary EWM/nuisance treatment area: overlaps with CLP in west basin, to be treated with Aquastrike only if necessary after CLP

Method of Application: WLPR's liquid sub-surface injection system

Will surface water outflow and/or overflow be controlled to prevent chemical loss? ☐ Yes ☒ No

Have the proposed chemicals been permitted in a prior year on the proposed site? ☐ All ☒ Some ☐ None

What were the results of the treatment?

Aquathol K has been used in the past on Wilson Lake for control of CLP

For private ponds and wetlands please ignore next question

Is treatment area greater than 5% of surface area? ☒ Yes ☐ No

If yes, calculate whole lake concentration (in ppm). Refer to DNR Lake pages dnr.wi.gov/Lakes to answer the following:

Does the lake stratify? ☐ Yes ☒ No

If yes, calculate whole lake concentration using volume above thermocline.
If no, calculate whole lake concentration using total lake volume.

Whole Lake Concentration: 0.75 ppm

Note: Chemical fact sheets for aquatic pesticides used in Wisconsin are available from the Department of Natural Resources at the following link: dnr.wi.gov/Lakes/plants/factsheets/.

Section VI -- Applicant Responsibilities and Certification

1. The applicant has prepared a detailed map which shows the length, width and average depth of each area proposed for the control of rooted vegetation and the surface area in acres or square feet for each proposed algae treatment.
2. The applicant understands that the Department of Natural Resources may require supervision of any aquatic plant management project involving chemicals. Under s. NR 107.07, Wis. Adm. Code, supervision may include inspection of the proposed treatment area, chemicals and application equipment before, during or after treatment. The applicant is required to notify the regional office 4 working days in advance of each anticipated treatment with the date, time, location and size of treatment unless the Department waives this requirement. Do you request the Department to waive the advance notification requirement? ☐ Yes ☒ No
3. The applicant agrees to comply with all terms or conditions of this permit, if issued, as well as all provisions of Chapter NR 107, Wis. Adm. Code. The required application fee is attached.
4. The applicant has provided a copy of the current application to any affected property owners' association, inland lake district and, in the case of chemical applications for rooted aquatic plants, to all owners of property riparian or adjacent to the treatment area. The applicant has also provided a copy of the current chemical fact sheet for the chemicals proposed for use to any affected property owner's association or inland lake district.
5. Conditions related to invasive species movement. The applicant and operator agree to the following methods required under s. NR 109.05(2), Wis. Adm. Code for controlling, transporting and disposing of aquatic plants and animals, and moving water:
 - Aquatic plants and animals shall be removed and water drained from all equipment as required by s. 30.07, Wis. Stats., and ss. NR 19.055 and 40.07, Wis. Adm. Code.
 - Operator shall comply with the most recent Department-approved 'Boat, Gear, and Equipment Decontamination and Disinfection Protocol', Manual Code # 9183.1, available at <http://dnr.wi.gov/topic/invasives/disinfection.html>


☒ Check if you are signing as Agent for Applicant.

I hereby certify that the above information is true and correct and that copies of this application have been provided to the appropriate parties named in Section II and that the conditions of the permit and pesticide use will be adhered to.

Paul Zimmier
Signature of Applicant

3/17/18
Date Signed

All portions of this permit, map and accompanying cover letter must be in possession of the chemical applicator at time of treatment. During treatment all provisions of Chapter NR 107, specifically ss. NR 107.07 and NR 107.08, Wis. Adm. Code, must be complied with, as well as the specific conditions contained in the permit cover letter.



Wisconsin
Lake & Pond Resource LLC
"Providing Professional Resources for Management of Your Lake or Pond"
www.WisconsinLPR.com (920) 872-2032

Proposed Treatment Areas - 2018

Wilson Lake, Waushara County
Data Collected August 7, 2017

**Chemical Aquatic Plant Control Application and Permit
WPDES Pesticide Pollutant Permit Application**

Form 3200-004 (R 02/17)

Page 4 of 4

Section VII – WPDES Permit Request

Is WPDES coverage being requested? Refer to <http://dnr.wi.gov/topic/wastewater/aquaticpesticides.html> for more information.

- ☒ No: ☒ Already have WPDES coverage. ☐ Yes – complete section VII with signature
☐ WPDES coverage not needed

Select which permit you are requesting: ☐ WI-0064556-1 Aquatic Plants, Algae & Bacteria
☐ WI-0064564-1 Aquatic Animals
☐ WI-0064581-1 Mosquitoes & other Flying Insects

Indicate WPDES permittee responsible for the pollutant discharge: ☒ Applicator ☐ Sponsor

Do you expect the pest control activity will result in a detectable pollutant discharge to waters of the state beyond the treatment area boundary or a pollutant residual in waters of the state after the treatment project is completed? ☐ Yes ☐ No

If yes, identify the pollutant(s): _____

Are you planning to incorporate integrated pest management principles, as specified in the WPDES permit, into your pest control activity to minimize any pollutant residual or pollutant discharge beyond the treatment area? ☐ Yes ☐ No

Type of WPDES coverage being requested: ☐ One Treatment Site ☐ Statewide Coverage

For informational purposes, select areas of WI for most of your aquatic treatments: ☐ NW ☐ NE ☐ SW ☐ SE

Is WPDES coverage being requested for more than 1 year?

- ☐ Yes ☐ No If yes, the permittee will remain in "active" WPDES status until a Notice of Termination is submitted.

I hereby certify that I am the authorized representative (as specified in Ch. NR 205.07(1)(g), Wis. Adm. Code) of the pest treatment activity which is the subject of this permit application. I certify that the information contained in this form and attachments is, to the best of my knowledge, true, accurate and complete.

Paul Zimmer
Signature of Authorized Representative

PAUL ZIMMER
Printed Name

3/17/18
Date Signed

Section VIII – Permit to Carry Out Chemical Treatment (Leave Blank – DNR Use Only)

The foregoing application is approved. Permission is hereby granted to the applicant to chemically treat the waters described in the application during the season of 20 18.

Application fee received?

☒ Yes ☐ No

Advance notification of treatment required?

☒ Yes ☐ No

State of Wisconsin
Department of Natural Resources
For the Secretary

By

Christopher Polarsinski
Regional Director or Designee

4/16/2018
Date Signed

4/16/2018
Date Mailed

Please Note:

If you believe that you have a right to challenge this decision, you should know that Wisconsin statutes and administrative rules establish time periods within which requests to review Department decisions must be filed.

For judicial review of a decision pursuant to ss. 227.52 and 227.53, Wis. Stats., you have 30 days after the decision is mailed or otherwise served by the Department, to file your petition with the appropriate circuit court and serve the petition on the Department. Such a petition for judicial review shall name the Department of Natural Resources as the respondent.

This notice is provided pursuant to s. 227.48(2), Wis. Stats.

To request a contested case hearing pursuant to s. 227.42, Wis. Stats., you have 30 days after the decision is mailed, or otherwise served by the Department, to serve a petition for hearing on the Secretary of the Department of Natural Resources. The filing of a request for a contested case hearing is not a prerequisite for judicial review and does not extend the 30-day period for filing a petition for judicial review.

Please run the following ad once, immediately and send of a copy of the notice when it is published with the completed permit application, noting the date of publication

PUBLIC NOTICE

The Kusel, Wilson, Round Lakes Protection & Rehabilitation District proposes to chemically treat up to 20 acres on Wilson Lake and 5.85 acres on Kusel Lake for control of the invasive species curly-leaf pondweed (CLP) and Eurasian water-milfoil (EWM). Wisconsin Lake & Pond Resource will perform the initial treatment in for CLP control in April/May, 2018 and in May/June for EWM control only if necessary. The liquid herbicide Aquathol K (endothall active ingredient) will be used CLP while Aquastrike (active ingredients endothall and diquat) will be used for EWM. Warning signs will be posted within 150' of the affected areas at the time of treatment which will include any restrictions relating to fish consumption, swimming, or water use as follows;

***Aquathol K®* Treatment Areas for CLP:**

Lake users are able to use the treated water for any recreation activities (boating, swimming, fishing, etc), irrigation, or animal without restriction immediately after treatment. Do not use water treated with Aquathol K as a potable source unless concentration is below 0.1 PPM.

***Aquastrike®* Treatment Areas for EWM:**

Lake users are able to use the treated water for any recreation activities (boating, swimming, fishing, etc) and without restriction immediately after treatment. Users should refrain from using the water for human consumption for 3 days, turf and landscape irrigation for 3 days, agricultural irrigation for 5 days, and animal watering for 14 days following treatment.

The District will hold a public informational meeting on the proposed treatments if five or more individuals, organizations, special units of government, or local units of government request one in writing. The person or entity requesting the meeting shall state a specific agenda of topics including problems and alternatives to be discussed. The request for the public informational meeting must be sent in writing to Kusel, Wilson, Round Lakes P&R District, N5490 N Wilson Lake Road, Wild Rose WI 54984 and to Wisconsin Department of Natural Resources, 625 East County Road Y, STE 700, Oshkosh, WI 54901 within five days of this publication.

For DNR Records

NOTE: Completion of this form is required by the Department, pursuant to s. 144.025(2)(i), Wis. Stats., and Chapter NR 107, Wis. Adm. Code, once every five years for proposed treatments that would cover more than 10 acres on one lake, or more than 10 percent of that portion of the lake that is 10 feet or less in depth.

The purpose of this form is to identify the: (1) recreational needs of the property owners and visitors;
(2) value of the proposed treatment area to fish and wildlife;
(3) cause(s) of the excess plant growth problem; and
(4) short and long-term solutions to the problem.

Please furnish a detailed map(s) of the lake and its watershed. Indicate the watershed boundaries on the map. If you do not have a watershed map for the lake you wish to treat, your DNR lake management coordinator can help you locate or prepare one.

SECTION I. BACKGROUND

Name of Applicant
Kusel, Wilson, Round Lakes P&R District

Date Completed
03/14/2018

Name of Lake
Wilson Lake

SECTION II. RECREATIONAL USES

Check those uses that apply and complete the information requested:

- ☐ 1. **SWIMMING:** Indicate on your lake map the portions of the proposed treatment area that are used for swimming.
What distance from shore is needed to provide adequate swimming space? _____ feet
What is the average depth at this distance? _____ feet
- ☐ 2. **FISHING:** Indicate on your lake map any fishing areas that are within the proposed treatment area.
- ☐ 3. **HUNTING:** Indicate on your lake map any hunting areas that are within or adjacent to the proposed treatment area.
- ☐ 4. **BOATING/NAVIGATION:** Indicate on your lake map where the following boating activities take place within the proposed treatment area:
- | | | |
|------------------|--------------|-------------|
| Sailing | Water skiing | Fishing |
| Pleasure boating | Jet skiing | Other _____ |
- ☐ 5. **AESTHETIC:** Indicate on your lake map any wildlife or nature observation areas within the proposed treatment area.
Do you object to the aesthetic quality (appearance, odor) of the proposed treatment area? ☐ Yes ☐ No
- ☒ 6. **OTHER:** What other activities occur in the proposed treatment area? Entire lake used for all the above

SECTION III. FISH AND WILDLIFE VALUE

1. **Fisheries:** To maintain a quality fishery, a lake must provide good spawning, rearing and feeding habitat. Please indicate on your lake map the location of any quality fisheries habitat. (Contact your local DNR fish manager or your local fishing club for information about your lake's fishery.)
2. **Wildlife:** Indicate on your lake map any portions of the proposed treatment area or adjacent shoreline that are considered to be good wildlife habitat. (Contact your local DNR wildlife manager or your local wildlife or hunting club for additional information about the wildlife around (and in) your lake.)
3. Which organization(s) or individual(s) did you contact for your information? _____

SECTION IV. CAUSES OF THE PROBLEM

What are perceived to be the local or regional causes of the problem? (Check all those that apply.)

- ☐ A. Agricultural runoff (from barnyards or croplands) that contributes sediment, nutrients and/or bacteria to the lake.
- ☐ B. Urban runoff (from stormwater) that contributes sediment, nutrients and other pollutants to the lake.
- ☐ C. Sewage treatment or industrial discharges upstream of the lake.
- ☐ D. Possible faulty septic systems in the area around the lake.
- ☐ E. Runoff from fertilized lawns near the lake.
- ☐ F. Sediments contaminated with nutrients from past pollution activities.
- ☐ G. Naturally fertile - no known human sources of excessive sediment, nutrients or other pollutants.
- ☒ H. Other: Exotic species - Curly-leaf Pondweed & Eurasian water-milfoil

Please identify on your watershed map the locations of any land use practices that are perceived to be contributing to excess plant growth problems in the lake.

SECTION V. SOLUTIONS

Control of aquatic plant problems can be temporarily accomplished with short-term measures, but no strategy will be successful without long-term planning to address the source of the problem. A sound plant management program should combine both short-term and long-term control strategies.

1. What level of short-term control do you wish to achieve?

- ☐ Remove 100% of the plants in the treatment area.
☒ Remove 70-99% of the plants in the treatment area.
☐ Remove less than 70% of the plants in the treatment area.

2. Which plants do you wish to remove in the short-term?

- ☐ Remove all plant species.
☒ Remove specific plant species only. (Name(s) of species: Curly-leaf Pondweed & eurasian water-milfoil)

3. How often will it be necessary to:

- A. Chemically treat? 0 times per year for algae; 0 times per year for other plants
B. Mechanically harvest? 0 times per year

4. What long-term control alternatives have you begun to implement?

- ☒ Developed a lake plant management plan.
☐ Developed a lake protection plan.
☒ Formed a Lake District, Lake Association or other organization. (Name: Kusel, Wilson, Round Lakes P&R District)
☒ Established a monitoring program for the lake.
☐ Contacted the Soil Conservation Service or Land Conservation Commission to identify land use controls that are needed in the watershed.
☐ Conducted a septic survey with the county sanitarian.
☒ Other: Past water sampling events, management planning & AIS surveys & management

Long-term planning can provide an organized approach to solving the problems that are affecting the water quality of your lake. Your DNR lake management coordinator, county extension agent, or regional planning commission can provide specific technical information and assistance.

SECTION VI. PUBLIC INVOLVEMENT

1. Before you conduct a large-scale chemical aquatic plant treatment, you are required to provide the public with formal notice of the planned treatment (s. NR 107.04(3), Wis. Adm. Code). Please attach evidence (e.g., newspaper clipping) that such notice has been made.

2. You are also required to conduct a public informational meeting on the proposed large-scale treatment if 5 or more individuals, organizations or local or special units of government request such a meeting within 5 days of the notice (s. NR 107.04(3), Wis. Adm. Code).

Was a public informational meeting required for the proposed treatment? ☐ Yes ☐ No


If yes, please attach evidence that such a meeting was held.

3. These public notice and public meeting provisions apply each year that a treatment is proposed.

NOTE: This form is to be updated once every 5 years to include new information. Modifications of the proposed treatment within the 5-year period also require re-submittal of this form if the location or target organisms are changed, or if the treatment area is expanded by more than 10 percent.

I hereby certify that the above information is true and correct and that copies of this application have been provided to the appropriate parties named in Section II of Form 3200-4, Application for Permit for Chemical Aquatic Plant Control.

Applicant's Signature



Please attach with map(s) to Form 3200-4, Application for Permit for Chemical Aquatic Plant Control.